2017 CERTIFICATION

Consumer Confidence Report (CCR)

2018 JUN -4 AM 9: 04

C;4	x of Amori	(Water	Department
	Public Water	System Name	
r	NS48000 3	2	

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must email, fax (but not preferred) or mail, a copy of the CCR and Certification to the MSDH. Please check all boxes that apply.

Customers were informed of availability of CCR by: (Attach co	py of publication, water bill or other)
☐ Advertisement in local paper (Attach copy	of advertisement) 5-23-18
☑ On water bills (Attach copy of bill) 5-23.	-18
☐ Email message (Email the message to the	address below)
□ Other	
Date(s) customers were informed: 5 / 16/2018 5	
CCR was distributed by U.S. Postal Service or other direct methods used	
Date Mailed/Distributed://	
CCR was distributed by Email (Email MSDH a copy)	Date Emailed: / / 2018
□ As a URL	(Provide Direct URL)
☐ As an attachment	
☐ As text within the body of the email message	ge
CCR was published in local newspaper. (Attach copy of publish	ned CCR or proof of publication)
Name of Newspaper: Monroe County Shopper	
Date Published: 5 / 23/ 18	of report
Date Published: 5 / 23/ 18 CCR was posted in public places. (Attach list of locations) Post-	Date Posted: 5 / 16 / 2018
CCR was posted on a publicly accessible internet site at the foll-	owing address:
	(Provide Direct URL)
CERTIFICATION I hereby certify that the CCR has been distributed to the customers of this pure above and that I used distribution methods allowed by the SDWA. I further ceand correct and is consistent with the water quality monitoring data provided to of Health, Bureau of Public Water Supply	ablic water system in the form and manner identified extify that the information included in this CCR is true the PWS officials by the Mississippi State Department
Buly Brown	5-16-18
Name/Title (President, Mayor, Owner, etc.)	Date

Submission options (Select one method ONLY)

Mail: (U.S. Postal Service) MSDH, Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

Email: water.reports@msdh.ms.gov

Fax: (601) 576 - 7800

** Not a preferred method due to poor clarity **

CCR Deadline to MSDH & Customers by July 1, 2018!

Copy of 2017 Annual Drinking Water Quality Report

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water source is from 6 wells drawing from the Gordo Aquifer.

Source water assessment and its availability

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

Source water assessment and its availability

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Sate Drinking Water Hotline (800-426-4791). Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

How can I get involved?

We want our valued customers to be informed about their water utility. If you want additional information, contact our utility office at 256-5633 to schedule a meeting with the water utility staff. Our Board of Alderman meets on the first and third Tuesday of each month, 6:00 PM in the Board Room at City Hall at 109 Front Street.

Description of Water Treatment Process

Your water is treated in a "treatment train" (a series of processes applied in a sequence) that includes coagulation, flocculation, sedimentation, filtration, and disinfection. Coagulation removes dirt and other particles suspended in the source water by adding chemicals (coagulants) to form tiny sticky particles called "floc," which attract the dirt particles. Flocculation (the formation of larger flocs from smaller flocs) is achieved using gentle, constant mixing. The heavy particles settle naturally out of the water in a sedimentation basin. The clear water then moves to the filtration process where the water passes through sand, gravel, charcoal or other filters that remove even smaller particles. A small amount of chlorine or other disinfection method is used to kill bacteria and

other microorganisms (viruses, cysts, etc.) that may be in the water before water is stored and distributed to homes and businesses in the community.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a
 month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a
 month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To
 check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the
 toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model
 can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a
 family effort to reduce next month's water bill!
- Visit <u>www.epa.gov/watersense</u> for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community
 and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your
 Watershed to locate groups in your community, or visit the Watershed Information Network's How to
 Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message
 next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water."
 Produce and distribute a flyer for households to remind residents that storm drains dump directly into
 your local water body.

Other Information

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", MS0480002 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6-1.3 ppm was 9. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6-1.3 ppm was 75%.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Amory Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure

is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Amory Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Additional Information for Arsenic

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG	MCL,	Detect In		inge			
Contaminants	or MRDLG	TT, or MRDL		Low	High	Sample Date	Violation	Typical Source
Disinfectants & Disi	nfection By	-Produc	ts					
(There is convincing	evidence th	at additio	n of a di	sinfec	tant is	necessary	for contro	of microbial contaminants)
Chlorine (as Cl2) (ppm)	4	4	1.9	.95	2.60 MG/L	0017	No	Water additive used to control microbes MRDL Range: .95 MG/L to 2.60 MG/L
Haloacetic Acids (HAA5) (ppb)	NA	60	4	NA	NA	2016	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	9.54	NA	NA	2016	No	By-product of drinking water disinfection
Inorganic Contamin	ants							
Barium (ppm)	2	2	.0108	NA	NA	2016	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Fluoride (ppm)	4	4	1.27	NA	NA	2016	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

Contaminants	MCLG	AL	Your Water	Sample	# Samples Exceeding AL	Exceeds AL	Typical Source
Inorganic Contaminants							• · · · · · · · · · · · · · · · · · · ·
Copper - action level at consumer taps (ppm)	1.3	1.3	0	2015	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Inorganic Contaminants							<u> </u>
Lead - action level at consumer taps (ppb)	0	15	0	2015	0		Corrosion of household plumbing systems; Erosion of natural deposits

Undetected Contaminants
The following contaminants were monitored for, but not detected, in your water.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Your Water	Violation	Typical Source
1,1,1-Trichloroethane (ppb)	200	200	ND	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	ND	No	Discharge from industrial chemical factories
1,1-Dichloroethylene (ppb)	7	7	ND	No	Discharge from industrial chemical factories
1,2,4-Trichlorobenzene (ppb)	70	70	ND	No	Discharge from textile-finishing factories
1,2-Dichloroethane (ppb)	0	5	ND	No	Discharge from industrial chemical factories
1,2-Dichloropropane (ppb)	0	5	ND	No	Discharge from industrial chemical factories
Antimony (ppb)	6	6	ND	No	Discharge from petroleum refineries; fire retardants; ceramics electronics; solder; test addition.
Arsenic (ppb)	0	10	ND	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Benzene (ppb)	0	5	ND	No	Discharge from factories; Leaching from gas storage tanks and landfills
Beryllium (ppb)	4	4	ND	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	ND	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Carbon Tetrachloride (ppb)	0	5	ND	No	Discharge from chemical plants and other industrial activities
Chlorobenzene (monochlorobenzene) (ppb)	100	, 100	ND	No	Discharge from chemical and agricultural chemical factories
Chromium (ppb)	100	100	ND		Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide (ppb)	200	200	ND		Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Dichloromethane (ppb)	0	5	ND	No	Discharge from pharmaceutical and chemical factories
Ethylbenzene (ppb)	700	700	ND	No	Discharge from petroleum refineries

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Your Water	Violation	Typical Source
Mercury [Inorganic] (ppb)	2	2	ND	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	ND	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Styrene (ppb)	100	100	ND	No	Discharge from rubber and plastic factories; Leaching from landfills
Tetrachloroethylene (ppb)	0	5	ND	No	Discharge from factories and dry cleaners
Thallium (ppb)	,5	2	ND	No	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
Toluene (ppm)	1	1	ND	No	Discharge from petroleum factories
Trichloroethylene (ppb)	0	5	ND	No	Discharge from metal degreasing sites and other factories
Vinyl Chloride (ppb)	0	2	ND	No	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)	10	10	ND	No	Discharge from petroleum factories; Discharge from chemical factories
cis-1,2-Dichloroethylene (ppb)	70	70	ND	No	Discharge from industrial chemical factories
o-Dichlorobenzene (ppb)	600	600	ND	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	ND	No	Discharge from industrial chemical factories
trans-1,2- Dichloroethylene (ppb)	100	100	ND	No	Discharge from industrial chemical factories

nit Descriptions							
Term	Definition						
ppm	ppm: parts per million, or milligrams per liter (mg/L)						
ppb	ppb: parts per billion, or micrograms per liter (μg/L)						
NA	NA: not applicable						
ND	ND: Not detected						
NR	NR: Monitoring not required, but recommended.						

Important	mportant Drinking Water Definitions					
Term	Definition					
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.					
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.					
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.					
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.					

Vaniana.	T7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Variances and	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
Exemptions	
	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: Buddy Brown Address: P O Box 266 Amory, MS 38821 Phone: 662-256-5633

ACCOUNT NUMBER: 203711 - 103437 **CUSTOMER NAME: CITY OF AMORY**

. MCALPINE LAKE PUMP **SERVICE ADDRESS:**

METER READING DATE: May 18 2018

DAYS BILLED:

This bill is now due and payable. Service may be discontinued without further notice.



Amory Water & Electric

129 Main Street North * P. O. Box 266 Amory, MS 38821 Phone (662) 256-5633 After Hrs: (662) 256-3931



SERVICE	PRESENT READING	PREVIOUS READING	AMOUNT USED	AMOUNT
ELECTRIC (KILOWATT HOURS)	6447	5876	571	79.28
TOTAL CURRENT CHARGES BALANCE FORWARD				79.28 19.50

PREVIOUS BILL	ADDED	ADJUSTMENTS &	DEBITS/CREDITS	(PAST DUE)	CURRENT CHARGES	AMOUNT DUE
39.00	0.00	19.50-	0,00	19.50	79.28	98.78

We now offer automated phone and online payment options. See cityofamoryms.com for futher information or call 662-256-5633 during normal business hours Monday thru Friday 8:00 AM - 5:00 PM. After hours numbers are 662-256-3931 or 662-646-0024. Copy of CCR Annual Water Report available upon request.

203711 - 103437 - 359312

COMPARE YOUR USAGE

PERIOD	DAYS	ELECT. KWH USED	DAILY AVG. KWH	WATER GALS. USED	DAILY AVG. GALS.
CURRENT	30	571	19	N/A	N/A
LAST MONTH	31	N/A	N/A	N/A	N/A
YEAR AGO	30	908	30	N/A	N/A

PLEASE DETACH AND RETURN LOWER PORTION IF PAYING BY MAIL

C: 06 R: 135

Amory Water & Electric

129 Main Street North * P. O. Box 266 Amory, MS 38821

RETURN SERVICE REQUESTED

CUSTOMER ACCOUNT NO:	203711 - 103437
PAST DUE BALANCE:	19.50
CURRENT MONTH'S CHARGE:	79.28
NET AMOUNT DUE:	98.78
PAST DUE AFTER:	Jun 18 2018
PENALTY AMOUNT:	0.00
AMOUNT DUE AFTER PAST DUE DATE:	98.78

This bill is now due and payable. Service may be discontinued without further notice.

000000002

I=0001



CITY OF AMORY MCALPINE LAKE PUMP **AMORY MS 38821**

դունալիվիցոյինիկությունաինիկությունունինինի իրդ **Amory Water & Electric Department** P.O. Box 266 Amory, MS 38821-0266



PROOF OF PUBLICATION

STATE OF MISSISSIPPI COUNTY OF MONROE
Before the undersigned, a Notary Public in
And for said state and county, Jeff Boozer , editor, publisher and manager of The Monroe County Shopper, an advertising medium in Amory, in said County and state makes oath that the City of Amory Utilities
Of which the article hereunto attached is a true copy, was published in said advertising medium as follows:
Edition #1934 Dated23-May 201_8
And I hereby certify that the issue above mentioned has been examined by me, and I find the publication therof to have been duly made, and that The Monroe County Shopper has been established, published and had a bonafide circulation in said town, county and state for more than one year next preceding the first insertion of the article described herein. Sworn to and subscribed before me this
(Seal) LISA KAREN CUMMINGS July 24, 201 Spires
My commission expires COUN.
Cost of Publication

\$250.00

SECTION 1

WEDNESDAY, MAY 23, 2018

SECTION 1

City of Amory Water Department 2017 Annual Drinking Water Quality Report

	MCLG		Detrect		Renge	d		
Continuestrals	MUDIC MUDIC	L id	A PARTIE		Lore Blob	No.	Vieletton	Typical Source
Distasfectants & Distribction By-Products	darbection B	-Produc		7	12 E	-81		
There is convincing	evidence th	et addition	oofed	hinfed	tent is n	COOSSELY	for courte	There is convincing evidence that addition of a distinfectant is necessary for control of microbial contaminants)
Chlorino (na CCZ) (spm)	-	•	61	.95	2.60	7102	2	Wester subsitive used to control microbes MRDL Respec .95 MG/L to 2.60 MG/L
Faloscetic Acids (FEAAS) (appl)	ž	8	4	ž	ž	2016	2	By-product of desiring water chlorination
TTERés [Total Pribalomethenes] (epb)	ž	8	9.54	9.54- NA	¥	2016	2	By product of driesking water distinfaction
Dorgonic Contaminants	ments							
Berium (ppm)	2	2	2010	ź	2	2016.	Ŷ.	Discharge of drilling weater; Discharge fro metal refineries; Brosion of netural deposits
Fluoride (ppm)	•	•	121	ž	ž	2016	S.	Erosion of natural depositor, Water additive which promotes strong teetle, Dischergo from feetilizer and aluminum factories
Contramento	9	MCLG	*	MCLG AL Water	Sark	80.0	- 4	croads AL. Typical Source
Inorganic Contaminants	dants						1	
Copper - aotion level at consumer taps (ppm)	# (F)	2	2	0	2015	0.0	0	No Correction of household plumbing systems; Erosion of natural deposits
Inscreme Coutsashands	channels					1	198	,
Lead - action level at commuter tupe (ppb)	at constanter	0	2	0	sioz		0	No Corresion of household plumbing systems; Prosion of natural deposits
	MC	MCLG MCL.				-		

Cestrafarets	MCLG or MRDLG	MCL, TT, or MRDL	Your	Violetion	Typical Source
1,1,1-Trichlomethane (ppb)	200	700	Ø.	No	Discharge from moral degreesing ertes and other factories
1,1,2-Trichlomoflane (spb)	3	\$	2	No	Discharge from industrial chemical factories
1,1-Dichlomethylene (spb)	7	7	2	No.	Discisings from industrial chemical factories
1,2,4-Trichlorobeazene (spb)	07.	2	9	9X	Discharge from textile-fundring factories
1,2-Dichloroethens (ppb)	0	8	ź	N.	Discharge from industrial chemical factories
1,2-Dichloropropene (opb)	•	\$	2	Ŋ,	Discherge from industrial chemical factories
Authnory (spb)	9	9	Ę	No	Discharge from petroleum refineries; fire retardants; commics; electronics; solder; test addition.
Actenic (ppb)	0	10	Ę	No	Exoden of natural deposits; Runoff from enchants; Runoff from glass and electronics production wrates
Beccente (1900)	9	3/1	B	SZ.	Discharge from factories; Loaching from gas storage tunks and tandifils
Beryllism (ppb)	4	+	S	9	Discharge from metal refraction and coal-burning factories; Discharge from efectsical, aerospace, and defense industries
Cadenhum (typh)	vi	v,	£	ž	Corrosion of galvasized pipos, Erosion of natural deposits; Discharge from metal refinerios; ranoff from waste batteries and paints
Carbon Tetrachloride	0	•	2	2	Discharge from chemical plants and other industrial activities

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes

from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are

Do I need to take special precautions?

providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ particularly at risk from infections. These people should seek advice about drinking water from their health care by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-Some people may be more vulnerable to contaminants in drinking water than the general population, Immunotransplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be

Where does my water come from?

Our water source is from 6 wells drawing from the Gordo Aquifer.

Source water assessment and its availability

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). Source water assessment and its availability

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

How can I get involved?

We want our valued customers to be informed about their water utility. If you want additional information, contact our utility office at 256-5633 to schedule a meeting with the water utility staff. Our Board of Alderman meets on the first and third Tuesday of each month, 6:00 PM in the Board Room at City Hall at 109 Front Street.

Description of Water Treatment Process

the source water by adding chemicals (coagulants) to form tiny sticky particles called "floc," which attract the dirt particles. Flocculation (the formation of larger flocs from smaller flocs) is achieved using gentle, constant mixing. flocculation, sedimentation, filtration, and disinfection. Coagulation removes dirt and other particles suspended in Your water is treated in a "treatment train" (a series of processes applied in a sequence) that includes coagulation, microorganisms (viruses, cysts, etc.) that may be in the water before water is stored and distributed to homes and The heavy particles settle naturally out of the water in a sedimentation basin. The clear water then moves to the filtration process where the water passes through sand, gravel charcoal or other filters that remove even smaller particles. A small amount of chlorine or other disinfection method is used to kill backeria and other businesses in the community.

Water Conservation Tips

Did you know that the average U.S household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- · Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month. • Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
 - Water plants only when necessary.

Chromium (ppb)	100	100	ND	No	Discharge from steel and poop mills, Erosion of national disposits
Cynnide (ppb)		200	700	ND	No	Discharge from plastic and fartilizer factories; Discharge from stoot/metal factories
Dichloromethan	n (ppb)	0	5	ND	No	Discharge from pharmaceutical and chemical factories
Ethylbearone (p	pb)	.700	700	ND	No	Discharge from potroloum refineries
Contamin	Lanta	MCLG or MRDLG	MCL, TT, or MRDL	Your	Violation	Typical Source
Mercury [Inorg (ppb)	mic)	2	2	ND	Ñő	Brosson of natural deposits; Discharge from refineries and factories; Runoff from tandfills; Runoff from cropland
Nitrate [measur Nitrogen] (ppm		10	10	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrito (messon Nitrogen) (ppm		1	1	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Ecosion of natural deposits
Solonium (ppþ)		50	50	ND	· No	Discharge from petroleum and metal refineries, Erosion of natural deposits; Discharge from mines
Styrene (ppb)		100	100	ND-	No	Discharge from rubber and plastic factories; Leaching from Leadfills
Tetrachloroethy (ppb)	lene	0	, 5	ND.	No	Discharge from factories and dry cleaners
Thailium (ppb)		.5	2	ND	No	Discharge from electrotics, glass, and Leaching from ore- processing sites; drug factories
Tohiene (ppm)		1	1	ND	No	Discharge from petroleum factories
Trichloroethyle	me (ppb)	0	5	ND.	No	Discharge from metal degressing sites and other factories
Vinyl Chloride	(ppb)	. 0	2	ND	No	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)		10	10	ND	No	Discharge from petroleum factories; Discharge from chemical factories
cis-L2-Dichlor (ppb)	octhylene	70	70	ND	No	Discharge from industrial chemical factories
o-Dichloroben	zone (ppb)	600	600	ND	No	Discharge from industrial chemical factories
p-Dichlaroben	zene (ppb)	75	75	ND.	No	Discharge from industrial obsenious factories
trans-1,2- Dichloroethyle	ne (ppb)	100	100	ND	No	Discharge from industrial chamical factories
Unit Descript	lons			in K	1	
Terms	7.5					Definition
ppm	4		7 79			lice, or milligrams per liter (mg/L)
ppb	1		Sec.	ppb: pe	uts per bill	ion, or micrograms per liter (µg/L)
NA		, 65.		A.		FA: not applicable
ND						ND: Not delected
NR				NR:	Monitoring	not required, but recommended.
Important Dr	inking Wa	ter Defini	tions		10000	A Company of the Comp
Torus	COLUMN TO THE STATE OF THE STAT		TO		1	Definition
k	MCLG: Maximum Contaminant Level Goal: The level of a contaminant is drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.					
	re set as cl	ose to the ?	ACLGs a	s featib	le using the	level of a contaminant that is allowed in drinking water. MCLs best available treatment technology.
TT 7	T: Treatm	ent Technic	ue: A re	quired p	roces into	oded to reduce the level of a contaminant in drinking water.
AL /	L: Action which a wat	Level: The	concent	ration of	f a contami	nant which, if exceeded, triggers treatment or other requirement
Important Dr						
	feriances ar coditions.	d Exempti	ons: Stat	or EP/	A pomissio	on not to meet an MCL or a treatment technique under certain
MRDLG: N	ORDLG: M	expected	risk to be	sinfectional M	on level go RDLGs do	al. The level of a drinking water disinfectant below which there not reflect the benefits of the use of disinfectants to control
				ofer tant	level The	histort level of a disinfectant allowed in drinking weter. There

MRDL

MNR MPL princing evidence that addition of a disinfec-

MNR: Monitored Not Regulated

without flushing, you have a leak. Fixing it or replacing it with a negallons a month.

 Adjust sprinklers so only your lawn is watered. Apply water only cooler parts of the day to reduce evaporation.

 Teach your kids about water conservation to ensure a future general effort to reduce next month's water bill!

Visit www.eps.gov/watersense for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can I source in several ways:

 Eliminate excess use of lawn and garden fertilizers and pesticides reach your drinking water source.

· Pick up after your pets.

 If you have your own septic system, properly maintain your syste consider connecting to a public water system.

Dispose of chemicals properly; take used motor oil to a recycling
 Volunteer in your community. Find a watershed or wellhead protection volunteer to help. If there are no active groups, consider starting or groups in your community, or visit the Watershed Information Net

 Organize a storm drain stenciling project with your local governr the street drain reminding people "Dump No Waste - Drains to Riv distribute a flyer for households to remind residents that storm dra Other Information

To comply with the "Regulation Governing Fluoridation of Comm to report certain results pertaining to fluoridation of our water syst calendar year in which average fluoride sample results were within percentage of fluoride samples collected in the previous calendar; ppm was 75%.

Addition Information for Lead

Addition Information for Pearling Water is primarily from materials and control the variety of materials used in plumbing. City of Amory Water Department is responsible and control the variety of materials used in plumbing compone hours, you can minimize the potential for lead exposure by flushing using water for drinking or cooking. If you are concerned about le water tested. Information on lead in drinking water, testing method is available from the Safe Drinking Water Hotline or at http://www.Addition.Information for Arsenic

While your drinking water meets EPA's standard for arsenic, it do balances the current understanding of arsenic's possible health effidrinking water. EPA continues to research the health effects of low cause cancer in humans at high concentrations and is linked to oth circulatory problems.

Water Quality Data

In order to ensure that tap water is safe to drink, EPA prescribes recontaminants in water provided by public water systems. The table contaminants that we detected during the calendar year of this reptested, only those substances listed below were found in your water naturally occurring contaminants. At low levels, these substances Removing all contaminants would be extremely expensive, and in protection of public health. A few naturally occurring minerals me have nutritional value at low levels. Unless otherwise noted, the difference of the report. The EPA or the State requires us to per year because the concentration of these contaminants do not vis not considered vulnerable to this type of contamination. As such the more than one year old. In this table you will find terms and at help you better understand these terms, we have provided the defi

Buddy Brown . P.O. Box 266 . Amory, MS